

Computational Many-Body Physics

apl. Prof. Dr. R. Bulla

SS 2017

Sheet 1

Exercise 1: single-particle and many-particle spectra

We consider a Hamiltonian of the form

$$H = \sum_{i=1}^N \varepsilon_i c_i^\dagger c_i , \quad (1)$$

with $N = 6$ and energies $\varepsilon_i = 0.1 \cdot (i - 3.5)$. The many-particle energies of this system are given by $E = \sum_{i=1}^N n_i \varepsilon_i$, with $n_i = 0, 1$.

- Write a program which translates the integer $j = 0, \dots, 2^N - 1$ into the bit pattern $(n_1, n_2, \dots, n_N)$, with $j = \sum_{i=1}^N n_i 2^{i-1}$.
- With the algorithm of part a), write a program which calculates the many-particle spectrum $\{E_l\}$ of the Hamiltonian eq. (1).

Exercise 2: entropy

The many-particle spectrum of a system (classical or quantum mechanical) is assumed to be of the following form:

$$E_l = \sqrt{l} \quad , \quad l = 1, 2, \dots, L .$$

Here we want to investigate how the temperature dependence of the entropy $S(T)$ is affected by L , the number of many-particle states.

The entropy can be calculated in the following way:

$$S(T) = -\frac{\partial F}{\partial T},$$

with the free energy


$$F = -k_B T \ln Z ,$$

and the partition function

$$Z = \sum_{l=1}^L e^{-\beta E_l} , \quad \beta = \frac{1}{k_B T} .$$

(k_B can be set to 1.) Write a program which calculates the entropy $S(T)$ in this way. Compare the numerical results for different values of L (such as $L = 10, 100, 1000$).

Exercise 3: single-impurity Anderson model: even/odd basis



The figure shows a sketch of the single-impurity Anderson model, with coupling of the impurity to left and right ‘leads’, both represented by tight-binding chains. The Hamiltonian is of the form

$$H = H_{\text{imp}} + H_{\text{imp-bath}} + H_{\text{bath}} ,$$

with the individual parts given by

$$\begin{aligned} H_{\text{imp}} &= \sum_{\sigma} \varepsilon_f f_{\sigma}^{\dagger} f_{\sigma} + U f_{\uparrow}^{\dagger} f_{\uparrow} f_{\downarrow}^{\dagger} f_{\downarrow} , \\ H_{\text{imp-bath}} &= V \sum_{\alpha=l,r} \sum_{\sigma} \left(f_{\sigma}^{\dagger} c_{\alpha 1 \sigma} + c_{\alpha 1 \sigma}^{\dagger} f_{\sigma} \right) , \\ H_{\text{bath}} &= t \sum_{\alpha=l,r} \sum_{i=1}^{\infty} \sum_{\sigma} \left(c_{\alpha i \sigma}^{\dagger} c_{\alpha i+1 \sigma} + c_{\alpha i+1 \sigma}^{\dagger} c_{\alpha i \sigma} \right) . \end{aligned}$$

The impurity in this model seems to couple to two ‘channels’. Show that with the following transformation to an even/odd basis, the impurity only couples to a single channel (the even channel), with the odd channel decoupled from the impurity:

$$\begin{aligned} c_{i\sigma}^e &= \frac{1}{\sqrt{2}} (c_{li\sigma} + c_{ri\sigma}) , \\ c_{i\sigma}^o &= \frac{1}{\sqrt{2}} (c_{li\sigma} - c_{ri\sigma}) . \end{aligned}$$

Exercise 4: matrix diagonalization

Consider the $N \times N$ matrix T with matrix elements

$$(T)_{ij} = \varepsilon_i \delta_{ij} + \delta_{i,j+1} + \delta_{i+1,j} .$$

The parameters ε_i are given by $\varepsilon_i = w x_i$, with x_i random numbers drawn from a flat distribution in the interval $[-1, 1]$.

- For a fixed set of $\{x_i\}$, plot the eigenvalues of T as a function of w ($0 \leq w \leq 5$). (Recommended values for N are $N = 10, 20, 30$).
- Pick out the eigenvector corresponding to the lowest eigenvalue. Visualize the development of the eigenvector for increasing w .